

» DISC MULCHER

LOFTNESS


BAD AX[®]



Proudly American.




Explore all
Features



PURE DIRECT DRIVE POWER

Forget about high-maintenance pulleys or slipping belts. Our Bad Ax® rocks a pure direct drive system. That means 100% of the hydraulic motor's power goes straight to the cutting disc, giving you raw, uninterrupted mulching force without the fuss. Less downtime and greater performance — plain and simple.

14" TREE CUTTING CAPACITY



NO SIGNS OF WEAKNESS FULLY MACHINED DISC

We went all-in on durability. The Bad Ax features a robust 60-inch-diameter disc, 1.25 inches thick, made from premium-strength steel. It's fully machined with absolutely no welds on the disc itself. That means zero weak points for stress cracking, so this disc can handle whatever you throw at it, day in and day out.



Shown with disc removed

CUTS TREES DOWN TO SIZE RECUTTER BAR

The cleaner the site, the better. That's why we gave the Bad Ax a recutter bar with stationary counter teeth to hold material in place while mulching. This unique design cuts material into finer particles, which means faster decomposition and a nicer-looking end product. Even better, it practically eliminates log jams in the chamber, which can be a major headache with other disc mulchers.

STAY IN CONTROL, ALWAYS



PARALLEL SIDE HOUSING Ever had a mulcher fight you when hitting a stump or hidden root? Not with the Bad Ax. Our parallel side housing design keeps you squarely in charge, providing optimal control without those unpredictable shifts from funnel or V-shaped disc mulchers. The Bad Ax stays stable so you can keep mulching.

HOUSING DESIGN Our exclusive housing design optimizes the material feed into the machine for superior performance. It works well when dealing with some of the most challenging trees, like cedar.

RADIAL PISTON MOTOR

A radial piston high-pressure motor offers 175cc of tree-shredding power. It provides instant torque at start-up, providing fast recovery times and helping you work faster in trees up to 14 inches in diameter.



BOLT-ON TEETH QUADCO BLADES

Our Quadco teeth are tough, ultra-sharp, and heat-treated, slicing through material instead of just tearing it. And when they start to dull? No problem. They're reversible with four cutting surfaces. Plus, they attach to the disc with simple bolt-on mounts, making them super easy to rotate or replace on the jobsite. No cutting, welding or rebalancing needed.

RIGID DISCHARGE DEFLECTOR

We've got your back (and your power unit). Our rigid discharge deflector directs shredded material down and away, keeping you and your equipment safer.



The Bad Ax® comes standard with an industry-leading 2-year warranty.

SPECIFICATIONS

Model	60BA
Cutting Width	60" (1.52 M)
Overall Width	67" (1.70 M)
Number Of Teeth	44
Weight	2,643 Lbs (1,199 Kg)
Crated Weight	2,793 Lbs (1,267 Kg)
Auxiliary Hydraulic Flow	36-50 GPM
Max Hydraulic Pressure	Piston Motor - 5,000 PSI
Radial Piston Motor Displacement	175 CC
Hydraulic Horsepower Range	70-120
Disc Speed	Up To 1,150 RPM
Tip Speed	200+ MPH (321.9 KPH)



» The shape of the housing allows you to **mulch down to ground level**.



» An adjustable **tree pusher bar** simplifies material positioning.

» The center of gravity is placed close to the skid steer for a **well-balanced design** and more stable operation.

» Easily monitor machine performance through the **on-board instrumentation**.


» The Bad Ax uses **anti-wrap bearing protection** to prevent material from entering the bearing chamber.

» An integrated **anti-cavitation shutdown circuit** helps protect the motor during shutdown.

DURABILITY RUNS DEEP WITH OUR FULL LINE OF EQUIPMENT



**MULCHING HEADS » BRUSH CUTTERS » DISC MULCHERS » FLAIL MOWERS
STUMP GRINDERS » HYDRAULIC COOLERS » MECHANICAL TRIMMERS**



BUILD & PRICE TOOL

Like what you see? Start customizing your own Bad Ax® with our online tool.



FIND A DEALER



Prefer to talk to a local expert? Find your nearest Loftness dealer and get straight answers.

Proudly American. Employee Owned.

At Loftness, we're proud of the products we make at our local manufacturing facility in Hector, Minnesota. And we take things personally when it comes to providing customers with the most durable, highest performing equipment that's backed by the best customer support. That's because we're 100% employee-owned, so every single one of us has a stake in your success.



Loftness Specialized Equipment
650 Main Street South • Hector, Minnesota 55342 USA
US & Canada: 800-828-7624 | International 320-848-6266
info@loftness.com | www.loftness.com