

MADE IN CANADA

Mapleside MFG INC

SKIDSTEER & TRACTOR ATTACHMENTS

BUCKETS | BOX BLADES | BALE SPEARS| PALLET FORKS | MANURE FORKS



PRODUCT BROCHURE

BUCKETS





Standard Profile Bucket

Standard Features	Optional
• 6" X 5/8" HARDENED STEEL CUTTING EDGE • PRE-DRILLED HOLES FOR OPTIONAL CUTTING EDGE	• DIGGING TEETH • BOLT-ON CUTTING EDGE

AVAILABLE IN SKID STEER, EURO & JDQA



High Volume Bucket

Standard Features	Optional
• 6" X 5/8" HARDENED STEEL CUTTING EDGE • 34.5" HIGH AND 48" DEEP • PRE-DRILLED HOLES FOR OPTIONAL CUTTING EDGE	• BOLT-ON CUTTING EDGE


AVAILABLE IN SKID STEER & EURO QUICK ATTACH



Compact Bucket

Standard Features
• 6" X 5/8" HARDENED STEEL CUTTING EDGE • 17" HIGH AND 19" DEEP

AVAILABLE IN SKID STEER & JDQA



Rock Bucket

Standard Features
• 20" HIGH 40" DEEP • VERTICAL SHEET METAL TINES FOR ADDED STRENGTH • 2.5" BETWEEN TINES

AVAILABLE IN SKID STEER, EURO & JDQA



Reg. Duty Back Grill Bucket

Standard Features	Optional
• 6" X 5/8" HARDENED STEEL CUTTING EDGE • 21.5" HIGH AND 33" DEEP • PREDRILLED HOLES FOR OPTIONAL CUTTING EDGE	• DIGGING TEETH • BOLT-ON CUTTING EDGE

AVAILABLE IN SKID STEER & EURO QUICK ATTACH



HD Back Grill Bucket

Standard Features	Optional
• 6" X 5/8" HARDENED STEEL CUTTING EDGE • 21.5" HIGH AND 33" DEEP • PRE-DRILLED HOLES FOR OPTIONAL CUTTING EDGE	• WELD-ON TEETH • BOLT-ON CUTTING EDGE

AVAILABLE IN SKID STEER & EURO QUICK ATTACH



Low Profile Bucket

Standard Features	Optional
• 6" X 5/8" HARDENED STEEL CUTTING EDGE • 18" HIGH AND 36" DEEP • PRE-DRILLED HOLES FOR OPTIONAL CUTTING EDGE	• DIGGING TEETH • BOLT-ON CUTTING EDGE

AVAILABLE IN SKID STEER, EURO & JDQA




HD Low Profile Bucket

Standard Features	Optional
• 6" X 5/8" HARDENED STEEL CUTTING EDGE • 21.5" HIGH AND 33" DEEP • PRE-DRILLED HOLES FOR OPTIONAL CUTTING EDGE	• WELD ON TEETH • BOLT-ON CUTTING EDGEE

AVAILABLE IN SKID STEER, EURO & JDQA

MANURE FORK





Manure Fork

Standard Features
• CONUS 1 SLEEVES • 35" CRANKED CONUS 1 TINES • TINES ARE SPACED 8" APART

Mini Manure Forks

Standard Features	Optional
• CONUS 1 BUSHINGS • TINES ARE SPACED 8" APART	• 35" CRANKED CONUS 1 TINES

GRAPPLES





HD Brush Grapple

Standard Features	Optional
• DOUBLE GRAPPLE FOR SECURE HANDLING • CYLINDER GUARDS TO PROTECT FROM DAMAGING THE CYLINDERS • TOTAL WEIGHT OF 1495 LBS	• ADDITIONAL HOSE KITS FOR REDUCED DOWNTIME

Bucket Grapple

Standard Features	Optional
• DOUBLE GRAPPLE FOR SECURE HANDLING • CYLINDER GUARDS TO PROTECT FROM DAMAGING THE CYLINDERS • TOTAL WEIGHT OF 1050 LBS	• ADDITIONAL HOSE KITS FOR REDUCED DOWNTIME

BOX BLADE & GRADER BLADES






Skid Steer Grader Blade

Standard Features

- DUAL REVERSIBLE CURVED 1/2" X 6" HIGH-CARBON STEEL BLADE CUTTING EDGES
- REPLACEABLE BOLT-ON ADJUSTABLE SKID SHOES
- AVAILABLE IN 5, 6, 7, & 8 FOOT WIDTHS

SKID STEER QUICK ATTACH



3 Point Hitch Grader Blades

Standard Features


- MULTIPLE SIZES FOR EVERY RATING OF TRACTOR
- REVERSABLE CUTTING EDGE
- ROTATING BLADE FOR PUSHING AND PULLING APPLICATIONS
- CYLINDER KIT AVAILABLE FOR THE HD GRADERS



3 Point Hitch Land Planes

Standard Features

- MULTIPLE SIZES FOR EVERY RATING OF TRACTOR
- TWO REVERSABLE CUTTING EDGES
- ADJUSTABLE STEEL DIGGING SHANKS
- ADJUSTABLE HEIGHT HARDENED SKID SHOES



3 Point Hitch Box Blades

Standard Features

- MULTIPLE SIZES FOR EVERY RATING OF TRACTOR
- TWO REVERSIBLE CUTTING EDGES
- CUTTING EDGE ON THE BACK FOR PUSHING APPLICATIONS



LAWN ROLLER



Lawn Rollers

Standard Features

- DRAIN PLUG FOR ADDING ADDITIONAL WEIGHT
- 2X2 1/4" WALL TUBING FOR THE FRAME
- 2" BALL HITCH OR CLEVIS HITCH

LANDSCAPE RAKE



Landscape Rakes

Standard Features

- CAT 1 HOOKUP PINS
- 16" HIGH TINES FOR DEBRIS ACCUMULATION

ROTARY CUTTER

Rotary Cutter

Standard Features

- 3 SWINGING BLADES FOR A PERFECT CUT
- HARDENED SKID SHOES TO PREVENT DIGGING INTO THE GROUND



BALE SPEARS



Mini Bale Spears

Standard Features	Optional
• CONUS 2 BUSHINGS • 30" CENTER TO CENTER BALE TINES	• 39" OR 49" CONUS 2 TINE • DROP IN POSTS FOR CARRYING STACKED BALES



Double Prong Bale Spear

Standard Features	Optional
• CONUS 2 TINES • COMPATIBLE WITH 39" OVERALL & 49" OVERALL TINES • 45.25" WIDE FRAME • 30" CENTER TO CENTER BALE TINES • FRAME IS 141 LBS	• DROP IN POSTS FOR CARRYING STACKED BALES
SKID STEER QUICK ATTACH	
• CONUS 2 TINES • COMPATIBLE WITH 39" OVERALL & 49" OVERALL TINES • 30" CENTER TO CENTER BALE TINES • 52" WIDE FRAME • FRAME IS 198 LBS	• SIDE POSTS FOR CARRYING STACKED BALES
AVAILABLE IN EURO & SKID STEER QUICK ATTACH	
• CONUS 2 TINES • COMPATIBLE WITH 39" OVERALL & 49" OVERALL TINES • 41" CENTER TO CENTER BALE TINES • 52" WIDE FRAME • FRAME IS 198 LBS	• SIDE POSTS FOR CARRYING STACKED BALES
SKID STEER QUICK ATTACH	



Single Prong Bale Spear

Standard Features
• CONUS 2 TINES • COMPATIBLE WITH 39" OVERALL & 49" OVERALL TINES • TWO STABALIZER TINES • 45.25" WIDE FRAME • FRAME IS 175 LBS
AVAILABLE IN SKID STEER QUICK ATTACH






Triple Prong Bale Spears

Standard Features	Optional
• CONUS 2 TINES • COMPATIBLE WITH 39" OVERALL & 49" OVERALL TINES • 61.5" WIDE • FRAME IS 243 LBS	• BACK RACK FOR CARRYING STACKED BALES
SKID STEER QUICK ATTACH	
• CONUS 2 TINES • COMPATIBLE WITH 39" OVERALL & 49" OVERALL TINES • 61.5" WIDE • FRAME IS 243 LBS	• BACK RACK FOR CARRYING STACKED BALES
EURO QUICK ATTACH	

PALLET FORKS





Mini Pallet Forks

Standard Features	Optional
• STANDARD 16" CARRIAGE • 2000LB CAPACITY AT 24" LOAD CENTER • TORO DINGO MOUNT OR MINI BOBCAT MOUNT	• 42", 48", OR 54" FORKS



1200 lb Pallet Fork

Standard Features
• STANDARD 16" CARRAGE • AVAILABLE WITH 42", 48", OR 54" FORKS • FRAME WEIGHT OF 200 LBS • 50.5" WIDE FRAME



2000 lb Pallet Fork

Standard Features
• STANDARD 16" CARRAGE • AVAILABLE WITH 42", 48", OR 54" FORKS • FRAME WEIGHT OF 230 LBS • 50.5" WIDE FRAME



5500 lb Pallet Fork

Standard Features	Optional
• STANDARD 16" CARRAGE • AVAILABLE WITH 42", 48", OR 54" FORKS • FRAME WEIGHT OF 390 LBS • 50.5" WIDE FRAME	• UPGRADED TOP AND BOTTOM FORK RAILS FOR EXTRA STRENGTH 55SQAPF-AR400



Pallet Fork Log Grapple

Standard Features
• AVAILABLE WITH 42", 48", OR 54" FORKS • CYLINDER GUARD TO PROTECT FROM DAMAGING THE CYLINDER • MOVE LOGS AND POSTS WITH EASE • STANDARD 16" CARRAGE

2 YEAR WARRANTY

MADE IN CANADA

ROUND BALE UNROLLER & BALE SQUEEZERS



Round Bale Unroller

Standard Features

- HANDLES BALES UP TO 6FT IN DIAMETER AND 5 FEET LONG
- UNROLLS UP TO 1500 LBS BALES
- TOTAL WEIGHT OF 335 LBSz



Bale Squeezer

Standard Features

- TOTAL OPENING WIDTH OF 71”
- GENTLE HANDLING OF WRAPPED BALES
- TOTAL WEIGHT OF 580 LBS

AVAILABLE IN SKID STEER & EURO QUICK ATTACH



SNOW BLADES



Angle Snow Blade

Standard Features

- AVAILABLE IN 8' AND 10'
- MULTIPLE ATTACHMENT STYLES LARGER VOLUME FOR LESS LOADS
- TRIP EDGE TO PROTECT HYDRAULIC CYLINDERS
- REVERSABLE HARDEND CUTTING EDGE

AVAILABLE IN SKID STEER & EURO QUICK ATTACH



Snow Pusher

Standard Features

- MULTIPLE ATTACHMENT STYLES
- ADJUSTABLE HARDENED SKID SHOES FOR ADJUSTING HEIGHTS
- ADJUSTABLE MOUNTING PLATES FOR DIFFERENT HEIGHTS AND ANGLES
- STANDARD WITH A BACK DRAG BLADE

AVAILABLE IN SKID STEER & EURO QUICK ATTACH



Compact Snow Pusher

Standard Features

- MULTIPLE ATTACHMENT STYLES
- ADJUSTABLE HARDENED SKID SHOES
- ADJUSTABLE MOUNTING PLATE FOR DIFFERENT
- HEIGHTS AND ANGLES
- STANDARD WITH A BACK DRAG
- SIDE STEPS FOR EASY ACCESS TO THE SKID STEER
- SMALLER IN SIZE FOR COMPACT TRACTORS AND SMALLER SKID STEERS
- REVERSABLE HARDENED CUTTING EDGE

AVAILABLE IN SKID STEER & EURO QUICK ATTACH



HD Snow Pusher

Standard Features

- MULTIPLE ATTACHMENT STYLES
- ADJUSTABLE HARDENED SKID SHOES
- ADJUSTABLE MOUNTING PLATE FOR DIFFERENT HEIGHTS AND ANGLES
- STANDARD WITH A BACK DRAG
- SIDE STEPS FOR EASY ACCESS TO THE SKID STEER
- REVERSABLE HARDENED CUTTING EDGE ATTACHED TO A TRIP EDGE FOR PROTECTING CYLINDERS
- COMES WITH A HARDENED BOLT ON CUTTING EDGE FOR BACK DRAG

AVAILABLE IN SKID STEER & EURO QUICK ATTACH

2 YEAR WARRANTY

MADE IN CANADA

SNOW BLOWER



96” Snow Blower

Standard Features

- REPLACEABLE BOLT ON CUTTING EDGE FOR ICE AND COMPACTED SNOW
- ADJUSTABLE SKID SHOES
- 8” DEEP BY 30” WIDE FAN
- SINGLE STAGE AUGER
- HYDRAULIC HOOD AND CHUTE
- ADD ON DRIFT CUTTERS

TREE PULLER



Tree Puller Stump Bucket

Standard Features

- REPLACEABLE TEETH ON THE FRONT
- SERRATED ARMS FOR MAXIMUM GRIP
- STANDARD WITH BOLT ON OUTSIDE SERRATED PLATES
- REMOVABLE PROTECTIVE BACK GRILL

AVAILABLE IN SKID STEER QUICK ATTACH

BOOM POLES



Boom Poles

Standard Features

- 75” MAIN BOOM WITH 48” TELESCOPIC BOOM
- PINTLE HOOK ON END WITH SPRING-LOADED LOCKING ARM AND PIN
- 3000 LBS CAPACITY CLOSED & 1500 LBS CAPACITY EXTENDED

WEIGHT BOX



Weight Box

Standard Features

- AVAILABLE IN CAT 1 AND CAT 2 HOOKUPS
- CLEAN OUT SQUARES ON BOTH SIDES
- SEPARATE TOOL SLOT
- 2” TRAILER HITCH RECEIVER



SKIDSTEER & TRACTOR ATTACHMENTS

VISIT WWW.MAPLESIDEMFG.CA FOR MORE PRODUCT INFORMATION

Mapleside Manufacturing is a Canadian producer of quality attachments for skidsteers and tractors. We offer a wide range of attachments including buckets, box blades, bale spears, pallet forks, and manure forks. Our products are made with high quality steel and are powder coated to reduce the risk of rusting and chipping. We stand behind our products with a 2 year limited warranty.

2 YEAR WARRANTY

MADE IN CANADA

Mapleside MFG INC

EECI 260804

john@maplesidemfg.ca
705.481.1378
www.maplesidemfg.ca

Mapleside Manufacturing
793202 Grey Road 124
Creemore, Ontario, L0M 1G0

September 2026