

Rock Picker

Rock Picker




When it comes to continuous rock pickers, tough isn't good enough. It needs to be Field Tested Tough if you want something that holds up to years of abuse. Only Summers incorporates as many heavy-duty features, such as planetary hydraulic direct drive and reinforced batts, to keep you running, whether your rocks are two inches in diameter or 20.



	RP6700
Weight	5,100 lbs.
Picking Width	60"
Picking Speed	2-4 MPH
Min./Max. Rock Diameter	2" to 20"
Wheels	16.5L x 16.1 flotation tires (8-bolt hubs)
Tractor Horsepower	60 HP min.
Hydraulic Flow Requirement	9 GPM

Clevis Hitch

The rock picker comes standard with a clevis hitch.



STANDARD

Electric Solenoid Lift

This option allows simultaneous operation of the reel and rake on **open-center** tractor hydraulic systems with insufficient oil flow.



OPTION



Steep Dump Angle

The rock picker is equipped with two 3-by-31-inch hydraulic cylinders with hardened shafts to tip the hopper. The system is designed with a 38-inch dump height and extra-steep dumping angle to ensure all rocks and debris are removed.



Heavy-Duty Batts

We engineered the large-diameter reel with three reinforced batts for maximum durability. The batts feature a **spring-loaded** trip action, allowing them to operate damage-free in tough conditions. For added reliability, the batts pivot on greaseable steel pins within replaceable bushings.



Planetary Hydraulic Direct Drive

There are no chains or sprockets to wear out and constantly adjust. Our low-maintenance, high-torque reduction planetary gear system runs in an oil bath and is direct coupled to the hydraulic motor, which is internally protected for extreme use.



Thick Steel Frame

To withstand heavy abuse, we gave the rock picker a durable frame made of reinforced 5-inch square tubing.



Flotation Tires

The standard 16.5L x 16.1 tires are ideal for use on any soil profile.



Hydraulic Swing Hitch

By activating your third hydraulic remote, you can swing the hitch from transport position to the offset position for ample working clearance.



Reinforced Hopper

The high-capacity hopper is gusseted for added stiffness and strength. It also has a grated floor and perforated back plate for maximum sifting of dirt.



Extra-Long Tines

The specially contoured picking tines are extra long, so more dirt can fall through before reaching the hopper.

FEATURES & BENEFITS

FEATURES & BENEFITS



See *Field Tested TOUGH* in action!

www.summersmfg.com



Tillage



S-Tine Cultivators/Harrows



Sprayers



Land Rollers/Coil Packers



Rock Pickers



Mounted Attachments



Summers Manufacturing Inc.
103 Summers St NW
Devils Lake, ND 58301

T: 800-732-4392
www.summersmfg.com



facebook.com/SummersMfg



youtube.com/SummersManufacturing

Contact your dealer today!